L Number	Hits	Search Text	DB	Time stamp
1	0	(((initial\$2 near3 star\$3) near10 (receiver terminal STB (set	USPAT;	2004/10/04 11:01
	_	near3 top) television tv)) same decompress\$3) and 725/\$.ccls.	US-PGPUB	
2	0	((initial\$2 near3 star\$3) same decompress\$3) and 725/\$.ccls.	USPAT;	2004/10/04 11:02
3	115	(initial\$2 near3 star\$3) and 725/\$.ccls.	US-PGPUB USPAT;	2004/10/04 11:02
١ ١	113	(Initiality Near 3 Start 5) and 725/5.CCIS.	US-PGPUB	2004/10/04 11:03
4	0	((initial\$2 near3 star\$3) same decompress\$3) and 725/\$.ccls.	USPAT;	2004/10/04 11:03
•	Ū	((milative mails startes) same decompressys) and (25/4.5015.	US-PGPUB	2004/10/04 11:03
5	0	(initial\$2 near3 star\$3) and (decompress\$3 same stor\$3 same	USPAT;	2004/10/04 11:04
		volatile) and 725/\$.ccls.	US-PGPUB	
6	38	(decompress\$3 same stor\$3 same volatile) and 725/\$.ccls.	USPAT;	2004/10/04 11:24
_			US-PGPUB	
7	24	yurt.inv. and compress\$3	USPAT;	2004/10/04 11:27
•	1.4	Aindall income and community of the	US-PGPUB	~~.
8	14	tindell.inv. and compress\$3	USPAT;	2004/10/04 11:36
9	20	hendricks.inv. and compress\$3 and template\$1	US-PGPUB USPAT:	2004/10/04 11:37
<b>"</b>	20	Hendricks.iiiv. and compressos and templates 1	US-PGPUB	200 <del>4</del> /10/04 11.3/
10	20	hendricks.inv. and compress\$3 and (template\$1 near10	USPAT;	2004/10/04 11:37
		menu)	US-PGPUB	2004/10/04 11:0/
11	20	(hendricks.inv. and compress\$3 and (template\$1 near10	USPAT;	2004/10/04 11:52
		menu)) and (@ad<=19991202 @rlad<=19991202)	US-PGPUB	
12	5	miller.xp. and "bit map" and (@ad<=19991202	USPAT;	2004/10/04 11:45
10	_	@rlad<=19991202) and 725/\$.ccls.	US-PGPUB	
13	2	terasawa.inv. and EPG1	USPAT;	2004/10/04 11:50
14	73	(compress\$3 same ("non-volatile" \$2ROM "hard drive")) and	US-PGPUB	2004/40/04 44:55
'	73	(decompress\$3 same (non-volatile \$2ROM hard drive)) and (decompress\$3 same (volatile buffer \$2RAM)) and 725/\$.ccls.	USPAT; US-PGPUB	2004/10/04 11:55
15	58	((compress\$3 same ("non-volatile" \$2ROM "hard drive")) and	USPAT;	2004/10/04 13:14
		(decompress\$3 same (volatile buffer \$2RAM)) and 725/\$.ccls.)	US-PGPUB	200-/10/04 13.14
		and (@ad<=19991202 @rlad<=19991202)	00.00	
16	13	(((compress\$3 same ("non-volatile" \$2ROM "hard drive")) and	USPAT;	2004/10/04 11:53
İ		(decompress\$3 same (volatile buffer \$2RAM)) and 725/\$.ccls.)	US-PGPUB	
		and (@ad<=19991202 @rlad<=19991202)) and		
47	_	725/39-55.ccls.		
17	1	(compress\$3 same ("non-volatile" \$2ROM "hard drive")) and (decompress\$3 same (volatile buffer \$2RAM) same (start\$3	USPAT;	2004/10/04 11:56
		power on) near10 (receiver STB (set near3 top) television tv))	US-PGPUB	
		and 725/\$.ccls.		
18	1	(compress\$3 same ("non-volatile" \$2ROM "hard drive")) and	USPAT;	2004/10/04 12:03
		(decompress\$3 same (volatile buffer \$2RAM) same ((start\$3	US-PGPUB	
		power on) near10 (receiver STB (set near3 top) television tv)))	_	
40		and 725/\$.ccls.		
19	29	(compress\$3 same ("non-volatile" \$2ROM "hard drive")) and	USPAT;	2004/10/04 13:03
		(decompress\$3 same (volatile buffer \$2RAM) and ((start\$3	US-PGPUB	
		power on) near10 (receiver STB (set near3 top) television tv))) and 725/\$.ccls.		
20	6	(decompress\$3 same (volatile buffer \$2RAM) same ((start\$3	USPAT;	2004/10/04 13:19
	J	power on) near5 (receiver STB (set near3 top) television tv)))	US-PGPUB	230-110/04 13.19
21	19	decompress\$3 same (volatile buffer \$2RAM) same ((start\$3	USPAT;	2004/10/04 13:20
	- 1	turn\$3) near5 (power on))	US-PGPUB	a server and a server a server and a server
22	16	(decompress\$3 same (volatile buffer \$2RAM) same ((start\$3	USPAT;	2004/10/04 14:05
		turn\$3) near5 (power on)) ) and (@ad<=19991202	US-PGPUB	
22	475	@rlad<=19991202)		
23	175	(decompress\$3 same (volatile buffer \$2RAM)) and	USPAT;	2004/10/04 13:19
24	1	(decompress\$3 same (start\$3 power on)) and 348/\$.ccls. (decompress\$3 with (volatile buffer \$2RAM storage memory)	US-PGPUB USPAT;	2004/40/04 42:00
	•	with stor\$3) and (decompress\$3 same ((start\$3 turn\$3)	US-PGPUB	2004/10/04 13:28
		near5 (power on))) and 348/\$.ccls.	- OF OF	
25	2	(decompress\$3 with (volatile buffer \$2RAM storage memory)	USPAT;	2004/10/04 13:24
		with stor\$3) and (decompress\$3 same ((start\$3 turn\$3)	US-PGPUB	
		near5 (power on))) and 725/\$.ccls.		
26	18	"6580462" "6342898" "6321385" "5543338"	USPAT;	2004/10/04 13:25
27	_	/!!OFO0463634300623430555540000!!	US-PGPUB	
27	0 4	("6580462634289863213855543338"),PN. "6580462".pn. "6342898".pn. "6321385".pn. "5543338".pn.	USPAT	2004/10/04 13:25
יו על		0000404 JH. 0044080 JUL 0321385" NN "5543338" NN	USPAT;	・ソハハオバイハバハオ イク・ウモ
28	~	5555 1-1 1pm -1 1-1 1-1 1pm 5021000 .pm. 0010000 .pm.	US-PGPUB	2004/10/04 13:25

Search History 10/4/04 4:59:30 PM Page 1

C:\09647751.wsp

29	0	("6580462".pn. "6342898".pn. "6321385".pn. "5543338".pn.) and ((bit near2 map\$4) character font graphics) same (menu EPG ((program schedul\$3) near3 guide))	USPAT; US-PGPUB	2004/10/04 13:27
30	1	((program schedul\$3) near3 guide)) ("6580462".pn. "6342898".pn. "6321385".pn. "5543338".pn.) and ((bit near2 map\$4) character font graphics) and (menu	USPAT; US-PGPUB	2004/10/04 13:29
31	26	EPG ((program schedul\$3) near3 guide)) (decompress\$3 with (volatile buffer \$2RAM storage memory)	USPAT;	2004/10/04 13:29
32	1	with stor\$3) and (decompress\$3 same ((start\$3 turn\$3) near5 (power on)))	US-PGPUB	0004/40/04 40:04
32	,	((decompress\$3 with (volatile buffer \$2RAM storage memory) with stor\$3) and (decompress\$3 same ((start\$3 turn\$3) near5 (power on)))) and ((bit near2 map\$4) character font graphics) and (menu EPG ((program schedul\$3) near3 guide))	USPAT; US-PGPUB	2004/10/04 13:31
33	71	(decompress\$3 with (volatile buffer \$2RAM storage memory) with stor\$3) and (decompress\$3 same ((start\$3 turn\$3) near5 (initial\$2 power on)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/04 13:45
34	14	((decompress\$3 with (volatile buffer \$2RAM storage memory) with stor\$3) and (decompress\$3 same ((start\$3 turn\$3) near5 (initial\$2 power on))) ) and ((bit near2 map\$4) character\$1 font\$1 graphics) and (menu EPG ((program schedul\$3) near3 guide))	USPAT; US-PGPUB	2004/10/04 13:32
35	2	(((decompress\$3 with (volatile buffer \$2RAM storage memory) with stor\$3) and (decompress\$3 same ((start\$3 turn\$3) near5 (initial\$2 power on))) ) and ((bit near2 map\$4) character\$1 font\$1 graphics) and (menu EPG ((program schedul\$3) near3 guide))) and (television tv)	USPAT; US-PGPUB	2004/10/04 13:32
36	14	((decompress\$3 with (volatile buffer \$2RAM storage memory) with stor\$3) and (decompress\$3 same ((start\$3 turn\$3) near5 (initial\$2 power on))) ) and ((bit near2 map\$4) character\$1 font\$1 graphics) and (menu EPG ((program schedul\$3) near3 guide))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/04 13:33
37	2	(((decompress\$3 with (volatile buffer \$2RAM storage memory) with stor\$3) and (decompress\$3 same ((start\$3 turn\$3) near5 (initial\$2 power on))) ) and ((bit near2 map\$4) character\$1 font\$1 graphics) and (menu EPG ((program	USPAT; US-PGPUB; EPO; JPO	2004/10/04 13:32
38	2	schedul\$3) near3 guide))) and (television tv) (((decompress\$3 with (volatile buffer \$2RAM storage memory) with stor\$3) and (decompress\$3 same ((start\$3 turn\$3) near5 (initial\$2 power on))) ) and ((bit near2 map\$4) character\$1 font\$1 graphics) and (menu EPG ((program	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/04 13:32
39	13	schedul\$3) near3 guide))) and (television tv) ((decompress\$3 with (volatile buffer \$2RAM storage memory) with stor\$3) and (decompress\$3 same ((start\$3 turn\$3) near5 (initial\$2 power on))) ) and ((bit near2 map\$4)	USPAT; US-PGPUB; EPO; JPO;	2004/10/04 13:44
40	13	character\$1 font\$1 graphics) and (television tv) ((decompress\$3 with (volatile buffer \$2RAM storage memory) with stor\$3) and (decompress\$3 same ((start\$3 turn\$3) near5 (initial\$2 power on))) ) and ((blavision telepast) bitmap\$4	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/10/04 13:46
41	152	character\$1 font\$1 graphics) and (television tv) (decompress\$3 same (volatile buffer \$2RAM storage memory)) and (decompress\$3 same ((start\$3 turn\$3) near5 (initial\$2 power on)))	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/10/04 13:59
42	1	((decompress\$3 same (volatile buffer \$2RAM storage memory)) and (decompress\$3 same ((start\$3 turn\$3) near5 (initial\$2 power on))) ) and ((bit near2 map\$4) bitmap\$4 character\$1 font\$1 graphics) and (EPG ((program schedul\$3) near3 guide))	DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/04 13:51
43	80	((decompress\$3 same (volatile buffer \$2RAM storage memory)) and (decompress\$3 same ((start\$3 turn\$3) near5 (initial\$2 power on))) ) and ((bit near2 map\$4) bitmap\$4 character\$1 font\$1 graphics) and (compress\$3 same (memory nonvolatile "non-volatile" storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/04 13:52

44	46	(((decompress\$3 same (volatile buffer \$2RAM storage memory)) and (decompress\$3 same ((start\$3 turn\$3) near5	USPAT; US-PGPUB;	2004/10/04 13:53
		(initial\$2 power on))) ) and ((bit near2 map\$4) bitmap\$4	EPO; JPO;	ł
		character\$1 font\$1 graphics) and (compress\$3 same	DERWENT	
		(memory nonvolatile "non-volatile" storage))) and (EPG menu		
		((program schedul\$3) near3 (guide)))		
45	9	(decompress\$3 same (volatile buffer \$2RAM storage	USPAT;	2004/10/04 14:03
		memory)) and (decompress\$3 same ((start\$3 turn\$3) near5	US-PGPUB;	
		(initial\$2 power on))) and (compress\$3 same (graphic\$1	EPO; JPO;	
		character\$1 font bitmap\$1 "bit map") same ("non-volatile"	DERWENT	
		storage memory \$2ROM "hard drive"))		
46	118	(decompress\$3 same (volatile buffer \$2RAM storage	USPAT:	2004/10/04 14:04
		memory)) and (decompress\$3 same ((start\$3 turn\$3) near5	US-PGPUB:	
		(initial\$2 power on))) and (compress\$3 same ("non-volatile"	EPO; JPO;	
		storage memory \$2ROM "hard drive"))	DERWENT	
47	17	((decompress\$3 same (volatile buffer \$2RAM storage	USPAT;	2004/10/04 14:06
		memory)) and (decompress\$3 same ((start\$3 turn\$3) near5	US-PGPUB;	
	İ	(initial\$2 power on))) and (compress\$3 same ("non-volatile"	EPO; JPO;	
		storage memory \$2ROM "hard drive"))) and ((bitmap\$1 font\$1	DERWENT	
		character\$1 text graphic\$1 figure\$1) near10 compress\$4)		
48	11	(((decompress\$3 same (volatile buffer \$2RAM storage	USPAT;	2004/10/04 16:12
	1	memory)) and (decompress\$3 same ((start\$3 turn\$3) near5	US-PGPUB;	
		(initial\$2 power on))) and (compress\$3 same ("non-volatile"	EPO; JPO;	
		storage memory \$2ROM "hard drive"))) and ((bitmap\$1 font\$1	DERWENT	
		character\$1 text graphic\$1 figure\$1) near10 compress\$4)) and		
		(@ad<=19991202 @rlad<=19991202)		·
49	1	((((decompress\$3 same (volatile buffer \$2RAM storage	USPAT;	2004/10/04 14:06
		memory)) and (decompress\$3 same ((start\$3 turn\$3) near5	US-PGPUB;	
		(initial\$2 power on))) and (compress\$3 same ("non-volatile"	EPO; JPO;	
		storage memory \$2ROM "hard drive"))) and ((bitmap\$1 font\$1	DERWENT	
		character\$1 text graphic\$1 figure\$1) near10 compress\$4)) and		
		(@ad<=19991202 @rlad<=19991202)) and (television tv)		
50	45	((decompress\$3 same (volatile buffer \$2RAM storage	USPAT;	2004/10/04 14:07
		memory)) and (decompress\$3 same ((start\$3 turn\$3) near5	US-PGPUB;	
		(initial\$2 power on))) and (compress\$3 same ("non-volatile"	EPO; JPO;	
		storage memory \$2ROM "hard drive"))) and (bitmap\$1 font\$1	DERWENT	
		character\$1 text graphic\$1 EPG ((program schedul\$3) near3		
51	41	guide)) and (television tv) (((decompress\$3 same (volatile buffer \$2RAM storage	LIODAT	0004440404440
01	7'	memory)) and (decompress\$3 same ((start\$3 turn\$3) near5	USPAT;	2004/10/04 14:07
		(initial\$2 power on))) and (compress\$3 same ("start\$3 turn\$3) nears	US-PGPUB;	
		storage memory \$2ROM "hard drive"))) and (bitmap\$1 font\$1	EPO; JPO;	
		character\$1 text graphic\$1 EPG ((program schedul\$3) near3	DERWENT	
		guide)) and (television tv)) and (@ad<=19991202		
		@rlad<=19991202)		
64	4	(("6580462") or ("6342898") or ("6321385") or	USPAT	2004/10/04 14:19
		("5543338")).PN.	OGFAI	2004/10/04 14.19
65	- 0	(compress\$3 with (font\$1 character\$1 text) with (graphic\$1	USPAT;	2004/10/04 16:09
		image\$1 picture\$1)) and (decompress\$3 same ((start\$3	US-PGPUB;	~007/10/04 10.09
		turn\$3) near10 (power on))) and 725/\$.ccls.	EPO; JPO;	
		τωντο, που το (ροποι στι))) απα γ 20/φ.σσια.	DERWENT	
	١ .	(compress\$3 with (font\$1 character\$1 text) with (graphic\$1	USPAT;	2004/10/04 16:13
66	0			
66	U	"bitmap" (bit adi1 map\$1) image\$1 picture\$1)) and		2004/10/04 10:13
66	0	"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and	US-PGPUB;	2004/10/04 10:13
66		"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on)))	US-PGPUB; EPO; JPO;	2004/10/04 10:13
	1	"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) and 725/\$.ccls.	US-PGPUB; EPO; JPO; DERWENT	
		"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) and 725/\$.ccls. (compress\$3 with (font\$1 character\$1 text) with (graphic\$1	US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/10/04 16:10
		"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) and 725/\$.ccls. (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB;	
		"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) and 725/\$.ccls. (compress\$3 with (font\$1 character\$1 text) with (graphic\$1	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;	
67		"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) and 725/\$.ccls. (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on)))	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/04 16:10
67	1	"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) and 725/\$.ccls. (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) (compress\$3 with (font\$1 character\$1 text) with (graphic\$1	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT;	
67	1	"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) and 725/\$.ccls. (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) same (menu	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB;	2004/10/04 16:10
67	1	"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) and 725/\$.ccls. (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) (compress\$3 with (font\$1 character\$1 text) with (graphic\$1	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/10/04 16:10
67 68	1	"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) and 725/\$.ccls. (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) same (menu (EPG IPG (program near3 guide)))	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/04 16:10
66 67 68 69	1 26	"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) and 725/\$.ccls. (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) same (menu (EPG IPG (program near3 guide))) ((compress\$3 with (font\$1 character\$1 text) with (graphic\$1	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT;	2004/10/04 16:10
67 68	1 26	"bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) and 725/\$.ccls. (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (decompress\$3 same ((start\$3 turn\$3) near10 (power on))) (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) same (menu (EPG IPG (program near3 guide)))	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/04 16:10 2004/10/04 16:12

70	4	(compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and	USPAT; US-PGPUB:	2004/10/04 16:17
		(decompress\$3 same ((turn\$3 switch\$3 stat\$3) near10 (power on)))	EPO; JPO; DERWENT	
71	403	(compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (menu EPG (program near3 guide))	USPAT; US-PGPUB; EPO; JPO;	2004/10/04 16:28
72	605	(decompress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1))	DERWENT USPAT; US-PGPUB;	2004/10/04 16:18
73	43	((company of 2 with (for the above to the form) with (green bines)	EPO; JPO; DERWENT	0004440404040
75	43	((compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (menu EPG (program near3 guide))) and ((decompress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/04 16:18
74	23	map\$1) image\$1 picture\$1)) ) (((compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (menu	USPAT; US-PGPUB;	2004/10/04 16:29
	×	EPG (program near3 guide))) and ((decompress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) )) and (@ad<=19991202 @rlad<=19991202)	EPO; JPO; DERWENT	
75	12	((((compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1)) and (menu EPG (program near3 guide))) and ((decompress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/04 16:18
76	139	map\$1) image\$1 picture\$1)) )) and (@ad<=19991202 @rlad<=19991202)) and (television tv) (compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1) same (storage memory ROM)) and (menu EPG (program near3 guide))	USPAT; US-PGPUB; EPO: JPO:	2004/10/04 16:37
77	85	((compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1) same (storage	DERWENT USPAT; US-PGPUB;	2004/10/04 16:40
<b>78</b>	11	memory ROM)) and (menu EPG (program near3 guide))) and (@ad<=19991202 @rlad<=19991202) (((compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 picture\$1) same (storage	EPO; JPO; DERWENT USPAT; US-PGPUB;	2004/10/04 16:40
79	403	memory ROM)) and (menu EPG (program near3 guide))) and (@ad<=19991202 @rlad<=19991202)) and 725/\$.ccls. (compress\$3 with (font\$1-character\$1-text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 figure\$1 picture\$1)) and	EPO; JPO; DERWENT USPAT; US-PGPUB;	2004/10/04 16:38
80	229	(menu EPG (program near3 guide))  ((compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 figure\$1 picture\$1)) and	EPO; JPO; DERWENT USPAT; US-PGPUB;	2004/10/04 16:40
81	11	(menu EPG (program near3 guide))) and (@ad<=19991202 @rlad<=19991202) ((((compress\$3 with (font\$1 character\$1 text) with (graphic\$1	EPO; JPO; DERWENT USPAT;	2004/10/04 16:40
	·	"bitmap" (bit adj1 map\$1) image\$1 picture\$1) same (storage memory ROM)) and (menu EPG (program near3 guide))) and (@ad<=19991202 @rlad<=19991202)) and 725/\$.ccls.) and 725/\$.ccls.	US-PGPUB; EPO; JPO; DERWENT	230-7/10/04 10:40
82	25	(((compress\$3 with (font\$1 character\$1 text) with (graphic\$1 "bitmap" (bit adj1 map\$1) image\$1 figure\$1 picture\$1)) and (menu EPG (program near3 guide))) and (@ad<=19991202 @rlad<=19991202)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/10/04 16:40